WORKMAN NYDEGGER A PROFESSIONAL CORPORATION ATTORNEYS AT LAW 1000 EAGLIE GATE TOWER 60 EAST SOUTH TEMPLE SALE ARE GIVE HEAPLE

CLAIMS

What is claimed is:

1. A reef artifact for diminishing the shock of a water current or wave, comprising:

a reef-like formation having a varied surface; and

a connector configured to mount the reef-like formation on a structure, wherein the structure is at least partially submerged in water and receives a shock from water moving toward the structure, the reef-like formation being configured to disrupt the flow of the water adjacent thereto such that the reef-like formation absorbs at least a portion of the shock of the water moving toward the structure.

- 2. A reef artifact as in claim 1, wherein the connector is a bracket.
- 3. A reef artifact as in claim 1, wherein the reef-like formation defines at least one aperture where water can flow therethrough.
- 4. A reef artifact as in claim 1, wherein the reef-like formation is further configured to be mounted with a desired amount of space between the reef-like formation and the structure such that water can flow therebetween.
 - 5. A reef artifact as in claim 1, wherein the reef-like formation is generally flat.
- 6. A reef artifact as in claim 1, wherein the varied surface simulates the contours of coral.

WORKMAN NYDEGGER

7. A reef artifact as in claim 1, wherein the reef-like formation has reef-

organism structures thereon.

8. A reef artifact as in claim 1, wherein the reef-like formation comprises a

calcium carbonate based concrete.

9. A reef artifact as in claim 1, wherein the reef-like formation comprises a

compressed concrete and synthetic fibers.

A reef artifact assembly comprising a plurality of reef artifacts according to 10.

claim 1, the plurality of reef artifacts being mounted to a structure, wherein the structure

comprises a wall.

11. A reef artifact assembly as in claim 10, wherein each of the reef artifacts are

mounted below a water surface.

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY HEAB 1811

- 12. A reef artifact designed to simulate a naturally occurring reef, comprising:
- a reef-like formation having a varied surface with contours that have the appearance of coral; and

at least one reef-organism structure formed on said reef-like formation.

- 13. A reef artifact as in claim 12, further comprising a plurality of a reeforganism structures.
- 14. A reef artifact as in claim 12, wherein the at least one reef-organism structure has the appearance of reef organism.
- 15. A reef artifact as in claim 12, wherein the at least one reef-organism structure is a simulated reef organism.
- 16. A reef artifact as in claim 12, wherein the at least one reef-organism structure is a naturally-occurring reef organism.
- 17. A reef artifact as in claim 12, wherein the at least one reef-organism structure has the appearance of a fish.
- 18. A reef artifact as in claim 12, wherein the at least one reef-organism structure has the appearance of a starfish.

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
50. THE AST SOUTH TEMPLE

19. A reef artifact as in claim 12, wherein the at least one reef-organism structure

has the appearance of a shell.

20. A reef artifact as in claim 12, wherein the at least one reef-organism structure

has an appearance selected from the group consisting of a fish, a shell, a crab, an octopus, a

sea horse, a plant, a starfish, and combinations thereof.

21. A reef artifact as in claim 12, wherein the reef-like formation is configured to

be mounted on a structure.

22. A reef artifact as in claim 12, wherein the reef-like formation is configured to

stand alone.

23. A reef artifact as in claim 12, wherein the reef-like formation defines at least

one aperture where water can flow therethrough.

24. A reef artifact as in claim 12, wherein the reef-like formation is further

configured to be mounted with a desired amount of space between the reef-like formation

and the structure such that small marine animals can fit therebetween.

25. A reef artifact as in claim 12, wherein the reef-like formation is generally flat.

26. A reef artifact as in claim 12, wherein the reef-like formation comprises a

calcium carbonate based concrete.

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 FACT SOITH TEMP! F

- 27. A reef artifact as in claim 12, wherein the reef-like formation comprises a concrete and a synthetic fiber.
- 28. A reef artifact assembly comprising a plurality of reef artifacts according to claim 12, wherein the plurality of reef artifacts are mounted below a water surface.
- 29. A reef artifact assembly comprising a plurality of reef artifacts according to claim 28, wherein the reef artifacts are mounted between about 2 feet and about 10 feet below the water surface.

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE

30. A method for making a reef artifact mold comprising:

providing a reef-like formation;

providing at least one reef-organism structure;

adhering the at least one reef-organism structure to the reef-like formation to

produce a reef artifact form; and

making a reef artifact mold using said reef artifact form.

31. A method according to claim 30, wherein the at least one reef-organism structure simulates a naturally occurring reef organism.

32. A method according to claim 30, wherein the at least one reef-organism structure simulates a naturally occurring reef organism.

- 33. A method according to claim 30, wherein the at least one reef-organism structure is a naturally occurring reef organism.
- 34. A method according to claim 30, wherein providing the reef-like formation comprises selecting or cutting travertine stone.
- 35. A method according to claim 30, further comprising adhering a plurality of reef-organism structures to the reef-like formation.

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
CALLEL STATE AND STATE

36. A method according to claim 35, wherein providing the plurality of reeforganism structures comprises:

selecting a plurality of dehydrated reef organisms;

forming a rubber negative mold of each of the plurality of dehydrated reef organisms; and

pouring a wax into each of the rubber negative molds to form the plurality of reef-organism structures.

- 37. A method according to claim 36, wherein adhering the reef-organism structures to the reef-like formation comprises melting a surface layer of wax of each of the reef-organism structures and adhering each of the reef-organism structures to the reef-like formation before the melted wax hardens.
- 38. A method of making a reef artifact according to claim 30 further comprising, (i) pouring a moldable material into the reef artifact mold and (ii) allowing the moldable material to harden to form a reef article, and removing the reef artifact from the reef artifact mold.
- 39. A method of making a reef artifact assembly according to claim 35 further comprising, repeating steps (i) and (ii) to form a plurality of reef artifacts and mounting the plurality of reef artifacts on a structure.

WORKMAN NYDEGGER
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE

40. A method according to claim 39, wherein mounting the plurality of reef artifacts on the structure further comprises:

drilling a plurality of holes in the structure with a desired spacing for mounting the plurality of reef artifacts thereon;

inserting a bolt into the hole and using a marine epoxy to permanently fix the bolt in the hole; and

mounting the reef artifacts on the bolts.

- 41. A method according to claim 39, wherein each of the plurality of reef artifacts is mounted between about 2 and about 10 feet below a water surface.
- 42. A method according to claim 39, wherein step (i) further comprises partially inserting a mounting bracket into the moldable material.
- 43. A method according to claim 42, wherein each of the plurality of reef artifacts is mounted with a desired amount of space between the structure and the reef artifact such that small marine animals can fit therebetween.
 - 44. A method as in claim 42, wherein the moldable material is concrete.
 - 45. A method as in claim 44, wherein the concrete comprises calcium carbonate.